


PRODUCT SPECIFICATION GUIDE





Low Maintenance and Barefoot Friendly

- EZ Dock polyethylene docks are durable and slip resistant
- Won't splinter or rot, never needs painting
- Cleans easily with soap and water

Adaptable Design

- Unique design delivers outstanding load capacity, functionality, and safety
- Variety of dock sections, boat/PWC lifts, and launches for kayaks
- Easily customizable design to make your perfect waterfront retreat



Flexible Flotation Technology

- Flotation chambers constructed for optimal strength and structural integrity. Concave pylon creates suction between the recess and the water
- Designed to provide additional stability on the water
- Dock sections adapt easily to changing water conditions and levels

Innovative Coupling

- The Dog Bone, made of recycled materials
- Nuts and bolts made of heavy duty, rust resistant composite
- Strength and durability even in the harshest weather conditions

American Made

Proudly for 30 years

DOGK SECTIONS

EZ Dock's polyethylene dock sections offer unmatched performance when it comes to modular docking solutions. Our revolutionary design is durable, slip-resistant, and low maintenance to help ensure an enjoyable time on the water. Each dock and port section includes a decking surface and float structure in a single, integrated unit. Our proprietary flotation chamber and pylon design provides enhanced buoyancy and stability to reduce movement even in rough water and stormy conditions. Constructed with extra-heavy and extra-thick walls for optimal strength. No frame or expensive decking required.

- 100% virgin linear low-density polyethylene (LLDPE)
- UV Ray resistant Slip-resistant pattern

- Unique pylon (chamber) design grabs the water like an upside down cup
- 62.5lbs. (28.3kg) per square foot, including dead load, standard
- Rotationally molded, to allow no seams or connection points
- 30lbs. (13.6kg) per square foot, including dead load, low profile

Part #	Model	Color	Dimensions (w x l x h)	Flotation	Notes
204060	Baby Dock	<mark>Beige</mark>	39" x 58-1/2" x 14-5/8"	1000 lbs.	
204060-EZGR	Section	Grey	0.99m x 1.48m x 0.37m	<i>453.6 kg</i>	
204010	40"Dock	Beige	39" x 117" x 14-5/8"	2000 lbs.	
204010-EZGR	Section	Grey	0.99m x 2.97m x 0.37m	907.1 kg	
206010	60" Dock	Beige	58-1/2'' x 117" x 14-5/8"	3000 lbs.	
206010-EZGR	Section	Grey	1.48m x 2.97m x 0.37m	1360.7kg	
208010	80" Dock	Beige	78" x 117" x 14-5/8"	4000 lbs.	
208010-EZGR	Section	Grey	1.98m x 2.97m x 0.37m	1814.4 kg	
208008	100" Dock	Beige	98" x 78" x 14-5/8"	3100 lbs.	
208008-EZGR	Section	Grey	2.49m x 1.98m x 0.37m	1406.1 kg	
158010 158010-EZGR	80" Low Profile Dock Section	Beige Grey	78" x 117" x 7-5/8" 1.98m x 2.97m x 0.19m	1900 lbs. 861.8 kg	
260120 260120-EZGR	Half Hex Dock Section	Beige Grey	58-1/2" x 59" x 117" x 14-5/8" 1.48m x 1.5m 2.97m x 0.37m	2000 lbs. 907.1 kg	
300503	Tri	Beige	58-1/8" x 58-1/8" x 80-13/16" x 14-5/8"	750 lbs.	
300503-EZGR	Section	Grey	1.48m x 1.48m x 2.05m x 0.37m	340.2 kg	
301100 315100 Low Pro	"Dog Bone" Coupler Set w/ Hardware	Black		N/A	

PERSONAL WATER CRAFT PORTS

EZ Ports feature a raised bow stop that helps prevent overshooting the port, with no winching, cranking, pumping, or hoisting needed. All EZ Ports can be linked together and easily adapted to other floating and fixed docks using our revolutionary Dog Bone coupler system with EZ Dock connectors. The same proprietary flotation chamber and pylon design provides enhanced buoyancy and stability. EZ Port also provides plenty of space on the front and either side of the port to allow PWC users to find their footing comfortably. EZ Port PWC lifts move with changing water levels, protecting personal watercraft from waves, wind, and the damage they can cause. Our personal watercraft ports are also covered by an industry-leading 8-year warranty. Low maintenance and barefoot friendly, EZ Dock's polyethylene ports are durable and slip resistant. They won't splinter or rot, and never need painting. They are easy to clean with a pressure washer or EPA-approved cleaning solutions.

Part #	Model	Color	Dimensions (w x l x h)	Flotation	Notes
206037PW 206037PW-EZGR	EZ Port VXP	Beige Grey	153" x 58-1/2" x 14-5/8" 3.88m x 1.48m x .37m	Rec. Lite + Rec.	
Carlo and Carlo					
206040PW 206040PW-EZGR	EZ Port 260	Beige Grey	156" x 60" x 14-5/8" 3.96m x 1.52m x .37m	Most PWCs	
208013PW 208013PW-EZGR	EZ Port 280	Beige Grey	156" x 78" x 14-5/8" 3.96m x 1.98m x .37m	Most PWCs	
and the second					
206036PW 206036PW-EZGR	EZ Port 2i	Beige Grey	168" x 58-1/2" x 14-5/8" 4.26m x 1.48m x .37m	Most PWCs	
206028BS-EZ 206028BS-EZ-EZGR	Bow Stop Kit for 2i	Beige Grey	33" x 10" x 16" .83m x .25m x .4m	N/A	
		Grey			



EZ PORT MAX INLINE

The modular, adjustable, and expandable EZ Port MAX PWC port system is built to accommodate multiple PWCs of different shapes. The EZ Port MAX is one of the most flexible options available and can be customized to maximize slip spaces with tandem inlines that help you accommodate more PWCs per slip. Configure the design that best suits your waterfront and adjust it whenever your needs change.

Part #	Description	Color	Size	Flotation	Notes
206033EX-EZ 206033EX-EZGR	EZ Port MAX Easy-Lift Entry	Beige Grey	43-1/2" x 58-1/2" x 10-7/16" 1m x 1.5m x 25cm	N/A	
206030PW-EZ 206030PW-EZGR	EZ Port MAX Entry	Beige Grey	149" x 58-1/2" x 10-7/16" 4m x 1.5m x 25cm	Most PWCs	
206031PW-EZ 206031PW-EZGR	EZ Port MAX Extension	Beige Grey	146" x 58-1/2" x 10-7/16" 3.7m x 1.5m x 25cm	Most PWCs	
206025BS-EZ 206025BS-EZGR	EZ Port MAX Full Deck Bow	Beige Grey	39" x 58-1/2" x 10-1/2" 99cm x 1.5m x 25cm	N/A	
206027BS-EZ 206027BS-EZGR	EZ Port MAX Small Bow	Beige Grey	38-1/2" x 20-13/16" x 15" 97cm x 51cm x 38cm	N/A	


Combined multiple parts of the EZ Port MAX Inline to accomidate multiple ports.



EZ LAUNCH[®] RESIDENTIAL

- Dock entry enables stable, dry entry.
- Launch-assist paddle notches support easy entry/exit. V-shaped entry centers vessel for a confident, consistent launch. (patented US 10,793,237 B2)
- Engineered to connect with virtually any dock (EZ Dock or any other dock).
- Fits canoes, tandem kayaks, stand-up paddleboards, etc.

Part #	Description	Color	Size	Flotation	Notes
200900 200900-EZGR	EZ Launch for Kayaks	Beige Grey	168" x 58" x 24" 4.26m x 1.47m x 61cm	750 lbs. <i>340kg</i>	
200683	EZ Launch Ex- tension RAIL	Aluminum	5 lbs. 2.2kg	N/A	
208112	EZ Launch Slide Bunk Kit	Blue	5 lbs. 2.2kg	N/A	



Connects with standard & low-profile dock sections

EZ LAUNCH[®] COMMERCIAL


A first in the industry, the EZ Launch® Accessible Transfer System for kayaks and canoes provides individuals with disabilities accessibility that exceeds the minimum requirements of the Americans with Disabilities Act (ADA). The easy-to-use transfer bench and transfer slide boards allow users to simply sit, slide over, and drop down into a kayak or canoe, then use the side rails to pull off or back on.

Part #	Description	Color	Size	Notes
5008900	EZ Launch Transfer System	Beige Grey	350 lbs. <i>159kg</i>	
100757SS	EZ Launch Adjustable Adapter Kit	Stainless Steel	23 lbs. <i>10kg</i>	
500901 500901-EZGR	EZ Launch Extension Railing	Beige Grey Aluminum	126 lbs. 57kg	
500900L	EZ Launch Entry Railing Left	Aluminum	126 lbs. <i>57kg</i>	
500900R	EZ Launch Entry Railing Right	Aluminum	126 lbs. 57kg	
35116	Security Curbing	Brown Black	118" x 3-1/2" x 2-1/2" 3m x .08m x .06m	
35118			118" x 5-3/4" x 2" 3m x .14m x .05m 31 lbs. (14kg)	
S50911	PVC Sleeved Roller - Kit of 5			


EZ Launch[®] Drive Thru with Transfer Bench & Small Platform




EZ Launch[®] One-way with Large Platform & Boat Slip



EZ Launch[®] One-Way with Transfer Bench, Handrail, & Large Platform




EZ Launch[®] Multiple One-way with Transfer Bench



EZ Launch[®] Drive Thru with Large Platform


EZ Launch[®] One-Way with Small Platform & Tri Dock





EZ Launch[®] One-way & Extra-Large Platform

EZ Launch[®] Drive Thru with Small Platform



Features and Benefits:

• Easy Boat Access and Maintenance

With our Optimus Boat Port, maintaining your boat becomes hassle-free. Enjoy effortless access for regular maintenance, cleaning, and inspections, ensuring your vessel stays in topnotch condition.

Reduce Anti-foul Paint Application

The Optimus Boat Port significantly decreases the need for frequent anti-foul paint re-application; extending your boat's lifespan and preserving its value and saving you time and money in the long run.

Versatile Boat Compatibility

Our boat port is designed to accommodate various boats up to 7,000lbs (3175kg) in wet weight and ranging from 16' (4.87m) to 24' (7.31m) in length, ensuring a perfect fit for your watercraft.

• Effortless Entry and Exit

Enjoy a simple and easy low-angle entry and exit with our Boat Port EZ Dock, making boating experiences smoother and more enjoyable.





ion	Color	Size	Notes
ction Kit ction 208120ENT(-EZGR) ay S20819 2 cable Rails S20815K Housings S20816K T3		117" x 93" x 15" 297cm x 236cm x 38cm	
oction	Beige Grey	117" x 93" x 15" 297cm x 236cm x 38cm	
ау	Dark Grey	50" x 19.5" x 15.5" 127cm x 49.5cm x 39cm 29lbs. (13 kg)	
Roller, Entry Kit	<mark>Blue &</mark> Dark Grey	10lbs. 7 kg	
Roller for Base	<mark>Blue &</mark> Dark Grey	8.5lbs. <i>13.8 kg</i>	
ole Rail	Alum	29.75" x 2.5" x 1" 75.5cm x 6.3cm x 2.5cm 2lbs. (.9 kg)	
using	Beige Grey	76" x 12" x 7.75" 193cm x 30.5cm x 19.7cm 28lbs. (12.7 kg)	
Assembly)	Dark Grey	3.5lbs. <i>1.6 kg</i>	
n Section Kit n Section 208120EXT 2 (see above) Rail Fill-in S20828K onnectors S20817 n Connectors S20818K		117" x 93" x 15" 297cm x 236cm x 38cm	
n Section	Beige Grey	117" x 93" x 15" 297cm x 236cm x 38cm	
il Fill-in	Dark Grey	29.75" x 2.5" x .75" 75.5cm x 6.3cm x 1.9cm	
nector	Beige Grey	24" x 9" x 7" 61cm x 23cm x 18cm 8lbs. (3.6 kg)	
Connector	<mark>Beige</mark> Grey	24" x 9" x 7" 61cm x 23cm x 18cm 8lbs. (3.6 kg)	

OPTIMUS BOATPORT[®]

Part #	Description	Color	Size	Notes
BPKIT1	3 Piece Roller, Entry Kit - Bell Roller S28824 - Center Keel Roller Entry S28823 - Keel Shaft Clip S20821 - Entry Roller Shaft S28822 - 2x 5/16" X 1" bolt 80510SS	Blue & Dark Grey	10lbs. 7 kg	
S28824	Bell Roller	<mark>Blue &</mark> Dark Grey	2.5lbs. 1.1 kg	
S28823	Center Keel Roller Entry	Blue & Dark Grey	2lbs. .9 kg	
S20821	Keel Shaft Clip	Dark Grey	0.25lbs. 1.1 kg	
S28822	Entry Roller Shaft	SS	2.5lbs. .1 kg	
ВРКІТ2	3 Piece Roller for Base - Bell Roller S28824 (see above) - Center Keel Roller S28826 - Keel Shaft Clip S20821 (see above) - Entry Roller Shaft S28827 - 2x 5/16" X 1" bolt 80510SS	Blue & Dark Grey	8.5lbs. <i>13.8 kg</i>	
S28826	Center Keel Roller	Blue & Dark Grey	1.5lbs. <i>.7 kg</i>	
S28827	Shaft for Keel Roller	SS	2lbs. .9 kg	
ВРКІТЗ	6" (15.24cm) Bunk Assembly - Bunk Roller S28829 - Bunk Shaft Retainer S28832 - Shaft for Bunk roller S28831 - 5/16" X 1" bolt 80510SS	Dark Grey	3.5lbs. 1.6 kg	
S28829	Bunk Roller	Dark Grey	2.25lbs. <i>1 kg</i>	
S28832	Bunk Shaft Retainer	Dark Grey	0.25lbs. 1.1 kg	
S28831	Shaft for Bunk Roller	SS	1lbs. .45 kg	

Part #	Description	Color	Dimensions	Notes
S20825 S20825-EZGR	3 1/2" (9cm) Pipe Bracket	Beige Grey	14" x 9" x 15" 35.5cm x 23cm x 38cm 7.25lbs. 3.3 kg	
100758	Optimus to EZ Dock connector Hinge Allows Optimus BoatPort connection to EZ Dock sections.	Galv.	9.5" x 15" x 36" 24.1cm x 38.1cm x 91.4cm 23lbs. 10.4kg	
100759	Optimus to Traditional Dock connector Hinge Allows Optimus BoatPort connection to Standard sections.	Galv.	9.5" x 15" x 36" 24.1cm x 38.1cm x 91.4cm 20lbs. 9 kg	
S20826 S20826-EZGR	Pocket Filler	Beige Grey	14" x 9" x 7.5" 35.5cm x 23cm x 19cm 7.25lbs. 3.3 kg	
S20820 S20820-EZGR	Keel Rest	Beige Grey	23" x 22.5" x 9.25" 58.4cm x 57cm x 23.5cm 20.75lbs. 9.4 kg	
208121 208121-EZGR	6' (1.83m) Boatport Walkway * Does not include hardware connectors	Beige Grey	74" x 12" x 15" 183cm x 30.5cm x 38cm 37lbs. 16.8 kg	
208123 208123-EZGR	8' (2.43m) Boatport Walkway * Does not include hardware connectors	Beige Grey	91" x 12" x 15" 243.8cm x 30.5cm x 38cm 47lbs. 21.3 kg	
S20832	Base Position for Winch Stand * Does not include hardware	Galv.	36" x 23" x 6.5" 91.4cm x 58.4cm x 16.5cm 118lbs. 53.5 kg	
S20833	Winch Stand Assembly - 3200 lbs.	Galv.	32" x 32" x 12" 81.3cm x 81.3cm x 30.5cm 64.5lbs. 29.2 kg	

OPTIMUS BOATPORT® STEPPED HULL

16'

- V hull type boats up to 5,500 lbs. (2,495 kg) in wet weight
- Up to 16 feet (4.16m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 1- Extension Section Kit (BP208120EXT)
- Available in Grey and Beige



16' with Side Extensions

• V hull type boats up to 5,500 lbs. (2,495 kg) in wet weight

• Up to 16 feet (4.16m) in length

Configuration includes:

1- Entry Section Kit (BP208120ENT) 1- Extension Section Kit (BP208120EXT) 2-6' (1.83m) BoatPort Walkways (208121) 2-8' (2.43m) BoatPort Walkways (208123) - Available in Grey and Beige



24'

- V hull type boats up to 7,000 lbs. (3,175 kg) in wet weight
- 16 to 24 feet (4.16m to 7.3m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 2- Extension Section Kit (BP208120EXT)
- Available in Grey and Beige

24' with Side Extensions

- V hull type boats up to 7,000 lbs. (3,175 kg) in wet weight
- 16 to 24 feet (4.16m to 7.3m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 2- Extension Section Kit (BP208120EXT)
- 2- 6' (1.83m) BoatPort Walkways (208121)
- 4-8' (2.43m) BoatPort Walkways (208123)
- Available in Grey and Beige




Part #	ŧ	Description	Color	Size	Notes
S2082	27K	Stepped Hull Bunk Kit- 22' boats & smaller - 1x Left, 1x Right Recycled Plastic Lumber Stepped Hull Bunk S20827L/S20827R - 2x Large Stepped Hull Block S20841 - 4x Small Stepped Hull Block S20842 - 6x Flat Washers 5/16" 18-8 SS 117003 - 6x Lock Washers 5/16" 18-8 SS 117004 - 4x Hex Bolts 5"x5/16 18 SS 10259SS - 2x Hex Bolts 6"x5/16 18 SS 10257SS	Dark Grey	84" x 5.5" x 1.5" 213cm x 14cm x 3.8cm	
	S20827L S20827R	Recycled Plastic Lumber Stepped Hull Bunk – Left and Right	Drk Grey	22.5lbs. 10.2 kg	
	S20841	Large Stepped Hull Block	Alum.		
	S20842	Small Stepped Hull Block	Alum.		
S2082	27K24	Stepped Hull Bunk Kit - 24' boats & larger - 1x Left, 1x Right Recycled Plastic Lumber Stepped Hull Bunk S20827L/S20827R - 6x Flat Washers 5/16" 18-8 SS 117003 - 6x Lock Washers 5/16" 18-8 SS 117004 - 2x Hex Bolts 2.5"x5/16 18 SS	Dark Grey	84" x 5.5" x 1.5" 213cm x 14cm x 3.8cm	

24' Stepped Hull

- Stepped hull type boats up to 7,000 lbs. (3,175 kg) in wet weight
- Up to 22 feet (6.7m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 2- Extension Section Kit (BP208120EXT)
- 1- Stepped Hull Bunk Kit (S20827K-BP)
- Available in Grey and Beige





24' Stepped Hull with Side Extensions

- Stepped hull type boats up to 7,000 lbs. (3,175 kg) in wet weight
- 24 feet (7.3m) in length and larger

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 2- Extension Section Kit (BP208120EXT)
- 1- Stepped Hull Bunk Kit (S20827K24-BP)
- 2- 6' (1.83m) BoatPort Walkways (208121)
- 4-8' (2.43m) BoatPort Walkways (208123)
- Available in Grey and Beige

EZ BOATPORT[®]

EZ BOATPORT[®] CUSTOMIZED SOLUTIONS

The EZ BoatPort is a simple and stable drive-on, drive-off method of docking for boats in a wide range of sizes up to 5,000 lbs.

- Configurations to fit multiple boat shapes and sizes
- Works with existing floating or fixed docks
- Can be used in as little as 2ft of water without float tanks
- No winching, cranking, or hoisting
- Two skid bunk options to fit a variety of hull shapes and sizes

- Up to three additional keel rollers for longer boats
- Optional supplemental flotation kit for added buoyancy
- Optional side extensions for additional walk-around room

Part #	Description	Color	Size	Flotation	Notes
208015BL 208015BL-EZGR	EZ BoatPort	Beige Grey	164" x 78" x 14-5/8" 4.16m x 1.98m x 37cm	2000 lbs. 907.18kg	
208015EX 208015EX-EZGR	EZ BoatPort Side Extension	Beige Grey	164" x 20" x 14-5/8" 4.16m x 50.8cm x 37cm	500 lbs. 227kg	
208104 208104-EZGR	EZ BoatPort H Connector	Beige Grey	13.5" x 7.5" x 12" 34.29cm x 19cm x 30.48cm 15 lbs. 7kg	N/A	
208105 208105-EZGR	EZ BoatPort T Connector	Beige Grey	13.5" x 7.5" x 12" 34.29cm x 19cm x 30.48cm 7 lbs. 3kg	N/A	
208109	EZ BoatPort Sail Bunk	Dark Grey	108" x 8" x 10" 2.74m x 48.26cm x 25.4cm 35 lbs. 16kg	N/A	
208101	EZ BoatPort Long Bunk	Dark Grey	108" x 8" x 10" 2.74m x 48.26cm x 25.4cm 35 lbs. 16kg	N/A	
208102	EZ BoatPort Short Bunk	Dark Grey	75" x 8" x 5" 1.9m x 48.26cm x 12.7cm 33 lbs. 15kg	N/A	


Part #	Description	Color	Size	Flotation	Notes
BP2000 BP2000-EZGR	EZ BoatPort Long Bunks 208101	Beige Grey	164" x 78" x 14-5/8" 4.16m x 1.98m x 37cm	2000 lbs. <i>907.18kg</i>	
a start	Short Bunks 208102				
	Sail Bunks 208109				
BP3000 BP3000-EZGR	EZ BoatPort with Side Extensions	Beige Grey	117" x 164" x 14-5/8" 2.97m x 4.16m x 37.14cm	3000 lbs. 1360.7kg	
	Long Bunks 208101		140 sf <i>13m</i> ²		
T-T-T	Short Bunks 208102				
BP3001 BP3001-EZGR	EZ BoatPort with Side Extensions & Large Platform	Beige Grey	117" x 222" x 14-5/8" 2.97m x 5.63m x 37.14cm 190 sf	3000 lbs. 1360.7kg	
			18m²		


AEGIS BOAT LIFT

The Aegis boat lift promotes fast and convenient access to your boat and keeps it looking like new.

- Flotation capacity of up to 7,000 lbs. (3175kg) in weight and 28 feet (8.53m) in length.
- Fully adjustable polyethylene bunks configure to your boat, with the ability to customize as needed.
- Fits a variety of hull configurations including V-Hull, stepped hull, pontoon, tritoon, wake boats, and catamarans.
- A 110v air assist pump available with either a single or dual valve unit.
- · Lift is compatible with EZ Dock products and traditional dock systems.

- Precision-molded, Linear Low-Density Polyethylene (LLDPE) lift tanks.
- · Resistant to the worst weather conditions, and low water damage.
- Keeps the boat out of the water and free from marine growth on outdrives and the hull of your boat.
- Hot-dipped, galvanized steel and corrosion-resistant frame and hardware.
- · Features premium low-friction and high strength, ultra-high molecular weight (UHMW), polyethylene bearing surfaces.





STEP 1 CHOOSE A FRAME OPTION THAT FITS YOUR NEEDS

- Both 4' and 5' arms are used for all dock types.
- EZ Dock coupler pockets.
- Arm length does not affect the boat height out of water.

Part #	Description	Notes
AG7000	4' (1.2m) BoatLift Frame Kit 4' (1.2m) Arm, Pitmans down to include the universal dock connector	
AG7001	 4' (1.2m) BoatLift Frame Kit 4' (1.2m) Arm, Pitmans up to include the universal dock connector 	
AG7002	5' (1.5m) BoatLift Frame Kit 5' (1.5m) Arm, Pitmans down to include the universal dock connector	
AG7003	5' <i>(1.5m)</i> BoatLift Frame Kit 5' <i>(1.5m)</i> Arm, Pitmans up to include the universal dock connector	

Pitman Arms are the shafts that translates rotary or angular movement into linear movement, or vice versa. Pitmans up vs. pitmans down has everything to do with the beam, overall width, of the particular watercraft you are lifting and where the beam is located on that watercraft.



- For use with Pontoon and Tritoon Boats with a beam of 8' 6" (2.64m) or more.*
- · Recommended for Deck Boats.
- Only width restriction is the distance between the dock brackets which are attached to the dock.

STEP 2 CHOOSE THE SLIP THAT THE FRAME WILL FIT INTO

Part #	Description	Notes
AG-KIT-10	10' (3m) Slip & Standard 10' (3m) Frame to Frame Floating boat slip	
AG-KIT-11	11' (3.3m) Slip & Standard 10' (3m) Frame to Frame Floating boat slip	
AG-KIT-12	12' (3.65m) Slip & Standard 10' (3m) Frame to Frame Floating boat slip	

• 5' arms are useful to fine tune the distance of the bow of the boat to the front of the slip with

- Arms act as a step to access the boat.
- Keeps steel out of water.

• Fit most, V-Hull boats, with a beam of 8' 6" (2.64m) or less.*

AEGIS BOAT LIFT

STEP 3 CHOOSE YOUR BOATS HULL SHAPE

- 12' pads will work the majority of the time across all boat types
- 14' pads are useful primarily for Pontoon & Tritoon boats over 24' to support the weight.
- 14' pads are also useful for inboard wake boats to get the bunks further back on the boat.

Part #	Description	Size	Notes
AGI12	Inboard/Wake Bunk Kit, 12' (3.65m) Pads		
AGI14	Inboard/Wake Bunk Kit, 14' (4.26m) Pads		
AGP12D	Pontoon Bunk Kit, 12' (3.65m) Pads, Pitmans down		
AGP12U	Pontoon Bunk Kit, 12' (3.65m) Pads, Pitmans up		
AGP14D	Pontoon Bunk Kit, 14' (4.26m) Pads, Pitmans down		
AGP14U	Pontoon Bunk Kit, 14' (4.26m) Pads, Pitmans up		
AGT12D	Tritoon Bunk Kit, 12' (3.65m) Pads, Pitmans down		
AGT12U	Tritoon Bunk Kit, 12' (3.65m) Pads, Pitmans up		
AGT14D	Tritoon Bunk Kit, 14' (4.26m) Pads, Pitmans down		
AGT14U	Tritoon Bunk Kit, 14' (4.26m) Pads, Pitmans up		
AGV12U	V Hull Bunk Kit 12' (3.65m) Pads		
AGV14U	V Hull Bunk Kit 14' (4.26m) Pads		
1			

STEP 4 CHOOSE YOUR CONTROL UNIT


Part #	Description	Size	Notes
700010	110 Volt Single Valve Unit with Cover & Mounting Plate		
700020	110 Volt Dual Valve Unit with Cover & Mounting Plate		

STEP 5 FLOTATION TANKS

Part #	Description	Size	Notes
BL0007K2	2 Flotation Tanks		

THE COMPLETE AEGIS SET UP BELOW SHOW

- STEP 1 4' (1.2 meter) Pitman Arms Down, part # AG7000 STEP 2 10' (3 meter) Slip Width, AG-KIT-10 **STEP 3** V-Hull Bunk Kit with12' (3.6 meter) Pads, part # AGV12U STEP 4 Standard 110v Pump, part # 700010
- **STEP 5** Flotation Tanks, *part # BL000K2*



ANCHORING

Part #	Description	Color	Size	Notes
135250 135250-EZGR	Standard 2.5" <i>(6.35cm)</i> Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller docks.	Beige Grey	For 2.375" (6cm) O.D. pipe 21lbs. 9.55kg	
135350 135350-EZGR	Standard 3.5" (9cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller docks.	Beige Grey	For 3.5" (9cm) O.D. pipe 21lbs. 9.55kg	
138250 138250-EZGR	Standard 2.5" <i>(6.35cm)</i> Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller, low profile, docks.	Beige Grey	For 2.375" (6cm) O.D. pipe 13lbs. 5.9kg	
138350 138350-EZGR	Low Profile 3.5" (9cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller, low profile, docks.	Beige Grey	For 3.5" (9cm) O.D. pipe 13lbs. 5.9kg	
130250 130250-EZGR	Standard 2.5" <i>(6.35cm)</i> Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller docks.	Beige Grey	For 2.375" (<i>6cm</i>) O.D. pipe 14lbs. <i>6.35kg</i>	
130350 130350-EZGR	Standard 3.5" (9cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller docks.	Beige Grey	For 3.5" (9cm) O.D. pipe 14lbs. 6.35kg	

Part #	Description
215250 215250-EZGR	Standard 2.5" (6.35c Heavy-duty polyeth bracket allows dock changing water leve
215350 215350-EZGR	Heavy-Duty 3.5" (9cr Heavy-duty polyeth bracket allows dock changing water leve
100725P	Deadweight insert f assembly
1051000	Poly Pipe Stand-Off Attaches top of pipe docks.
210250 210250-EZGR 10003(-BK) Replacement Insert	Standard 2.5" (6.350 w/Insert Heavy-duty polyeth bracket allows dock changing water leve
210350 210350-EZGR 10004(-BK) Replacement Insert	Heavy-Duty 3.5" (9cr w/Insert Heavy-duty polyeth bracket allows dock changing water leve
300810 300810-EZGR	Adjustable Piling Br Heavy-duty one-pie lateral position adju to piles from 6"-18" diameter. Bracket c pairs of couplers withardware.

		Cino	Notoo
	Color	Size	Notes
<i>tocm)</i> Pipe Bracket thylene pipe cks to adjust to evels.	Beige Grey	For 2.375" (<i>6cm)</i> O.D. pipe	
<i>Pcm)</i> Pipe Bracket thylene pipe cks to adjust to evels.	Beige Grey	For 3.5" (<i>9cm)</i> O.D. pipe	
t for #215350	PVC coated	For 3.5" (<i>9cm)</i> O.D. pipe 15lbs. <i>6.8kg</i>	
)ff Bracket pe to stationary	Yellow	2.5" (6cm) to 3.5" (9cm) O.D. Pipe	
<i>5cm)</i> Pipe Bracket thylene pipe cks to adjust to evels.	Beige Grey Brown Black	For 2.375" <i>(6cm)</i> O.D. pipe	
<i>Pcm)</i> Pipe Bracket thylene pipe cks to adjust to evels.	Beige Grey Brown Black	For 3.5" (9cm) O.D. pipe	
Bracket iece bracket allows djustment to attach 8" <i>(15-46cm)</i> in comes with two with composite	Beige Grey	75" x 8" x 5" 1.91m x 20cm x 13cm	

ANCHORING

Part #	Description	Color	Notes
100700SS 100700	Stiff-Arm, Mainframe Deadweight Bracket Includes hardware. Order stiff-arm insert, post sleeve, and anchoring pipe separately.	Stainless Steel Galvanized	
800095-20	2"(5cm) Inner Dimension 2-1/2"(6.35cm) Inner Dimension 3-1/2"(8.89cm) Inner Dimension I.D. post sleeve for stiff arm	Galvanized	
800099	Stiff-Arm Heavy-Duty Bracket Anchor to a shoreline abutment	Stainless Steel Galvanized	
S80094GV	or shoreline post. Light-duty also available. Frame & Yoke (shown). Sea wall attachment bracket (not shown).		
100800	Piling Bracket	Galvanized	
	Predrilled for hoops (sold separately) and includes nuts and connectors. SS hardware available. To be used in conjunction with the hoops below.		
100808	Hoops for Piling Bracket 4" (10cm) 8" (20cm) 12" (30cm) 16" (41cm) 20" (51cm)	Galvanized	

Part #	Description	Color	Notes
100740 100740SS	Deadweight Bracket Kit For light-duty anchoring with chain and/or to attach 4" (10cm) x 4" (10cm) railing or mooring posts. Sold in pairs. Chain sold separately.	Stainless Steel Galvanized	
100730	Deadweight Winch insert Deadweight insert and cable winch added to our polyethylene pipe bracket allows easy dock adjustment for water fluctuations. Cable sold separately.	Galvanized	
100750 100750SS	Adapter Hinge Reversible hinge allows EZ Dock sections to be attached to other floating docks.	Stainless Steel Galvanized	
100751 100751SS	EZ Port Adapter Hinge Reversible hinge allows EZ Ports to be attached to other floating docks.	Stainless Steel Galvanized	
100255 For 2.375" (6cm) O.D. pipe 100355 For 3.5" (9cm)O.D. pipe	Pipe Auger Auger with bolt and nut allows for drilling and setting pipe in lake, river, or ocean bottoms. Pipe sold separately.	Aluminum	

ACCESSORIES

Part #	Description	Color	Size	Notes
300100	8" Nylon Tie-Down Cleat	Black	8"	
300125	Bulk package of 25		20.32cm	
300210	10" Powder Coated Aluminum Tie-Down Cleat	Aluminum	10" 25.4cm	
	10" corrosion resistant cast aluminum heavy-duty tie down cleat for use on EZ Dock, traditional wood or aluminum frame docks or ports.			
301260 301260-EZGR	5' x 12" Utility Channel	Beige Grey	60" x 12" 1.5m x 0.3m	
302060	5' x 20" Utility Channel		60" x 20" 1.5m x 0.5m	
302060-EZGR	Two-piece chaseway attaches to dock sections for utility lines. Stainless steel hardware option.			
300600	Dock Slide	Blue	Requires use	
300600FG	Install with almost any EZ Dock*	Forest Green	of (2) 80" (2m) dock sections	
	where water depth is more than 5' (1.52m)		600lbs. 272.1kg	
201030 201030-EZGR	Pocket Filler with Retainer Clip	Beige Grey	6 3/8" x 4" x 3" 16cm x 10cm x 7.6	
208110	Supplemental Flotation Pod	Beige	27lbs.	
208110-EZGR	This float pod is designed to add 200lbs (<i>91 kg</i>) of flotation and is sized to fit under most dock pylon shapes.	Grey	12.2kg 41lbs. 18.6kg	
900050	Dock Wheels - Steel frames with polyethylene wheels make movement of docks easier. Sold in pairs.	Black	85lbs. per pair <i>38.5kg</i>	
201040SS	Hardware Connector Male For attaching various accessories. 5/8" SS bolt and nut.	Black		
S21141SS	Hardware Connector Female	Black		
S21142SS 201041SS	For Ladder with 3/8" SS bolt and nut. 5/8" SS bolt and nut.			
20104133	5/6 55 DOLL AND NUC.			



	Color	Size	Notes
			NOLES
ox w/Gusset ection boxes for bokups.	Beige Grey	65lbs. 29.48kg	
nted	Beige Grey	63lbs. 28.57kg	
er gusset adds additional stability nen needed.	Beige Grey	33.5" x 6" 85cm x 15.24cm	
ylene ladder. No e.	Beige Grey	400lb. <i>(181.4kg)</i> weight capacity	
wales and rub-rails. ches to dock using	Beige Grey		
Arm-Rests ets with 2" <i>(5cm)</i> <i>m)</i> aluminum ong any open an EZ Dock product.	Beige Grey	116lbs. <i>52.5kg</i>	
ut Arm-Rests ets with 2" <i>(5cm)</i> <i>m)</i> aluminum ong any open an EZ Dock product.	Beige Grey	80lbs. <i>36.2kg</i>	
ion Tool on tool for dock s Steel.	Stainless Steel	45" X 12" X 1" 114cm x 30.4cm x 2.54cm	
ool nnection hardware.	Black		

RAILINGS

Part #/Styl	.e #	Description	Color	Size	Notes
100910AL Style 910		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	10' x 42" 3m x 1.1m	
100911AL Style 911		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	5' x 42" 1.5m x 1.1m	
100912AL Style 912		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	10' x 42" 3m x 1.1m	
100915AL Style 915		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	5' x 42" 1.5m x 1.1m	
100916AL Style 916		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	5' x 42" 1.5m x 1.1m	
100917AL Style 917		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	80" x 42" 2m x 1.1m	
100918AL Style 918		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	80" x 42" 2m x 1.1m	
100919AL Style 919		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	40" x 42" 1m x 1.1m	
100920AL Style 920		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	40" x 42" 1m x 1.1m	
100921AL Style 921		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	100" x 42" 2.5m x 1.1m	



POLY POST HANDRAILS



ALUMINUM RAILING



	Color	Size	Notes
ils pupler pocket. Can o or accessory 8 embedded T-nuts ent and recessed drilled for tube . (Handrails and ed.)	Beige Grey		

GANGWAYS ALUMINUM


EZ Dock is pleased to announce the availability of our new G500 series gangways hinge kits and dock to shore transition ramps. All G500 gangway frames are made of lightweight aluminum materials that are carefully welded in the USA by skilled welders. G500 gangways weigh 25% less (approx.) than G400 series gangways. ADA compliant railings can be assembled at the job site (Mounting hardware is provided.)

Available in popular 36"(0.9m) and 48"(1.2m) widths and lengths ranging from 10'(3m) to 30' (9.1m) in 5' increments, the new gangways come with the buyer's choice of factory installed beige or grey ThruFlow decking to create a consistent look with other EZ Dock products.

ThruFlow panels are durable and maintenance free allowing you to spend more time enjoying your deck or dock, than working on it. They also feature a heat-resistant, non-slip surface for safety and comfort. This decking is covered by ThruFLow's Lifetime Limited Warranty. ThruFlow panels are revolutionary in their ability to allow light to pass through protecting the delicate aquatic life below. They also allow wind and water to safely pass through them, helping to prevent damage that may be incurred by high waves and wind.

Slip resistant aluminum decking with heat sink bottoms to draw heat away from the decking surface is also available as a decking option.

All decking panels are installed at the factory to provide a clean, flush appearance. All new decking must be installed to meet local, state, and federal building codes or other regulations that apply to these products at the installer's discretion and responsibility.




Part #/Style #	Description	Color	Size	Notes
G500310 G500310-EZGR	Aluminum Gangway and Railings with ThruFlow	Railings - Aluminum ThruFlow Decking - Beige or Grey	3' x 10' 0.9m x 3m	
G500315 G500315-EZGR	Decking		3' x 15' 0.9m x 4.5m	
G500320 G500320-EZGR			3' x 20' 0.9m x 6m	
G500325 G500325-EZGR			3' x 25' 0.9m x 7.6m	
G500330 G500330-EZGR			3' x 30' 0.9m x 9.1m	
G500410 G500410-EZGR			4' x 10' 1.2m x 3m	
G500415 G500415-EZGR			4' x 15' 1.2m x 4.5m	
G500420 G500420-EZGR			4' x 20' 1.2m x 6m	
G500425 G500425-EZGR			4' x 25' 1.2m x 7.6m	
G500430 G500430-EZGR			4' x 30' 1.2m x 9.1m	
G500310AL	Aluminum Gangway and Railings with Aluminum	Railings - Aluminum	3' x 10' 0.9m x 3m	
G500315AL	Decking	Decking - Aluminum	3' x 15' 0.9m x 4.5m	
G500320AL			3' x 20' 0.9m x 6m	
G500325AL			3' x 25' 0.9m x 7.6m	
G500330AL			3' x 30' 0.9m x 9.1m	
G500410AL			4' x 10' 1.2m x 3m	
G500415AL			4' x 15' 1.2m x 4.5m	
G500420AL			4' x 20' 1.2m x 6m	
G500425AL			4' x 25' 1.2m x 7.6m	
G500430AL			4' x 30' 1.2m x 9.1m	

GANGWAY ACCESSORIES

Part #	Description	Color	Size	Notes
404010 404010-EZGR	Polyethylene Gangway Molded Plastic Gangway. US Pat. 6912966 (Railing and Roller Kit sold separately.)	Beige Grey	39" x 120" x 8" 1m x 3m x .2m 165lbs. 74.8kg	
300450	Gangway Roller Kit Allows end of gangway to adjust to changing water levels. PVC and galvanized steel roller available for 3' and 5' widths.		5' x 42" 1.5m x 1.1m	
G200360 G200560	Gangway Hinge Hinge kit		40" (<i>1m)</i> dock 80" <i>(2m)</i> dock	
200205 200205-EZGR	Plank Gangway Kit - Dock to Abutment	Beige Grey	54" 137.16m	
200200 200200-EZGR	Plank Gangway Kit - Dock to Shore	Beige Grey	54" 137.16m	
100240 100340 100600	Gangway Hardware Kit for Wood Gangway	Stainless Steel Galvanized	24" 34" 60"	

Part #	Description	Color	Size	Notes
400440	Galvanized Gangway to Dock Kit	Stainless	40" (<i>1m)</i> dock	
400460	Kit will include all hardware to	Steel Galvanized	60" (1.5m) dock	
400480	attach gangway centered on 3 or 4 pockets.		80" <i>(2m)</i> dock	
400450	Galvanized Hinge Kit to Abutment	Stainless	15" x ?"	
A State State		Steel Galvanized	38.1cm x ?m 30" x ?" 76.2m x ?m	
G500450 G500450-EZGR	Aluminum and ThruFlow Transition Plate Dock End	Beige Grey	48" 1.2m	
G500460	36" (0.9m) Gangway Hinge	Aluminum	60" (1.5m) dock	
G500560			80" <i>(2m)</i> dock	
G500465	Gangway Abutment Hinge Kit	Aluminum	36" (0.9m)	
			48" (<i>1.2m</i>)	
G500570 G500570-EZGR	Aluminum Transition Ramp with ThruFlow	Beige Grey	48" x 72" 1.2m x 1.82m	
G500570-AL	Aluminum Transition Ramp with Aluminum decking	Aluminum	48" x 72" 1.2m x 1.82m	





EZ Dock product is produced in our Monett, MO facility which is certified by Intertek for ISO 9001:2015 quality management system and ISO 14001: 2015 environmental management system.

EZ Dock may introduce new colors, products, accessories, and options throughout the year. Specifications and products listed are subject to change without notice. Some products may be shown with additional or optional equipment not available through EZ Dock. Specifications may vary for international shipments. Please check with your local dealer for more information.

EZ Dock, Inc | 878 HWY 60, Monett, MO 65708 417-235-2223 | 800-654-8168 © 2023 EZ Dock, Inc. All rights reserved.

More information



US/Canada Europe International 1-800-654-8168 +46 (0) 380 47 300 +1 888-654-8168

